



## ATTESTATION of conformity with Low Voltage Directive

Attestation Number: **1488AP0508N005001**  
Product: Grid connected photovoltaic inverter  
Brand Name:   
Model: SOFAR 1100TL, SOFAR 1600TL, SOFAR 2200TL,  
SOFAR 2700TL, SOFAR 3000TL  
Applicant: Shenzhen SOFARSOLAR Co., Ltd.  
Address: 3A-1, Huake Building, East Technology Park, Qiaoxiang Road,  
Nanshan District, Shenzhen, China.  
Technical Characteristics: **See Next page**

**The submitted sample of the above equipment has been tested for CE marking according to following European Directive and standards:**

- Low Voltage Directive 2006/95/EC

Standards	Report Number	Report date
IEC/EN 62109-2:2011 in conjunction with IEC/EN 62109-1:2010	LD140508N005	2014-07-28

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified European Directive.

This verification does not imply assessment of the production of the product. The CE marking may be affixed if all relevant and effective European Directives with CE are applicable.



Supervisor  
PV Inverter Team

Name: Corney Zhang  
Date: July 28, 2014

This document shall not be reproduced, except in full, without the written approval of  
Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch.

Information given in this document is related to the tested specimen of the described electrical sample.



**Technical Characteristics:**

Test item description .....	<b>Grid connected photovoltaic inverter</b>				
Manufacturer .....	Shenzhen SOFARSOLAR Co., Ltd.				
Model and/or type reference .....	SOFAR 1100TL, SOFAR 1600TL, SOFAR 2200TL, SOFAR 2700TL, SOFAR 3000TL				
Hardware Version .....	V1.00				
Software Version.....	V1.00				
Ratings.....	SOFAR 1100TL	SOFAR 1600TL	SOFAR 2200TL	SOFAR 2700TL	SOFAR 3000TL
Input DC voltage range [V] .....	90-400, max. 450		100-480, max. 500		
Input DC current [A].....	Max.10		Max.13		
Output AC voltage [V] .....	230, 50/60Hz				
Output AC current [A] .....	Max.4.5	Max.7.0	Max.9,5	Max.11.5	Max.13.0
Output power [W].....	1000	1500	2000	2500	2800